



CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No.: 6,867,720

Issued: March 15, 2005

Application Serial No. 10/649,209

Filing Date: 08/27/2003

Inventor: Freeman et al.

Atty. Docket No.: 1693-90485

Title: BEAMFORMED ULTRASONIC IMAGER WITH
DELTA-SIGMA FEEDBACK CONTROL

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. §1.322(a)

Hon. Commissioner of Patents
Mail Stop Certificate of Corrections
PO Box 1450
Alexandria, VA 22313-1450

Certificate
JUL 06 2005
of Correction

Sir:

Enclosed herewith is a Certificate of Correction in connection with the above-identified patent. The Assignee of record is incorrect on the letters patent. The enclosed marked up version of the first page of the patent is enclosed herewith. The Assignee should be changed from "The Regents of the University of Michigan, Ann Arbor, MI (US)" to "The Regents of the University of Michigan, Ann Arbor, MI (US); Q-Dot, Inc., Colorado Springs, CO (US)". Copies of the first pages of two of the parent applications (U.S. Patent No. 6,208,189 and 5,964,708) are enclosed noting the correct assignee information to be The Regents of the University of Michigan, Ann Arbor, MI (US); Q-Dot, Inc., Colorado Springs, CO (US).


Applicant respectfully requests entry in the patent file and requests that a Certificate of Correction issue identifying the same.

It is believed that the error to be corrected resulted from an error on the part of the U.S. Patent and Trademark Office.

No fee is believed necessary. However, should any fee be needed, the Commissioner is hereby authorized to charge any underpayment or credit any overpayment to Deposit Account No. 23-0920. A duplicate copy of this sheet is enclosed.

JUL - 7 2005


U.S. Patent No. 6,867,720
Issued: 03/15/2005
Mailed: June 28, 2005



Should there be any questions or concerns, it is respectfully requested that the undersigned be contacted.

Respectfully submitted,

By:


Jon P. Christensen
Reg. No. 34,137


June 28, 2005
Welsh & Katz, Ltd.
120 S. Riverside Plaza, 22nd Floor
Chicago, IL 60606-3912
(312) 655-1500 Telephone
(312) 655-1501 Facsimile

Enclosures:

Certificate of Correction
Marked-up version of the first page of the patent
Copies of the first pages of parent applications (U.S. Pat. No. 6,208,189 and 5,964,708)

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify that this Communication is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-0001, on June 28, 2005.


Abigail Boone

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,867,720

DATED : March 15, 2005

INVENTOR(S) : Freeman et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(73) Assignee: The Regents of the University of Michigan, Ann Arbor, MI (US); Q-Dot, Inc., Colorado Springs, CO (US)

MAILING ADDRESS OF SENDER: Jon P. Christensen
Reg. No. 34,137
Welsh & Katz, Ltd.
120 S. Riverside Plaza, 22nd Floor
Chicago, IL 60606-3912

PATENT NO. 6,867,720

No. of additional copies



JUL - 7 2005